

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	680	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4) with (print\$3 adj (file\$2 or job\$2 or data or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 11:30
S2	15	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 11:32
S3	37	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2)) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 11:38
S4	37	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or (written near5 (storage or store or storing or stored or memory or RAM\$2))) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 11:40
S5	44	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or (written near5 (storage or store or storing or stored or memory or RAM\$2)) or (number\$3 near3 (page\$2 or sheet\$2 or paper\$2))) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 11:42

## EAST Search History

S6	44	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or (written near5 (storage or store or storing or stored or memory or RAM\$2)) or (number\$3 near3 (page\$2 or sheet\$2 or paper\$2)) or (number\$3 near4 (read\$3))) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 11:44
S7	45	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or (written near5 (storage or store or storing or stored or memory or RAM\$2)) or (number\$3 near3 (page\$2 or sheet\$2 or paper\$2)) or (number\$3 near4 (read\$3 or retriev\$3))) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 11:46
S8	0	((storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or (written near5 (storage or store or storing or stored or memory or RAM\$2)) or (number\$3 near3 (page\$2 or sheet\$2 or paper\$2)) or (number\$3 near4 (read\$3 or retriev\$3))) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)) same ((easy or easier or fast or faster) near5 (retriev\$3 or read\$3) near5 (storage or store or storing or stored or memory or RAM\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 12:43

## EAST Search History

S9	0	((storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or (written near5 (storage or store or storing or stored or memory or RAM\$2)) or (number\$3 near3 (page\$2 or sheet\$2 or paper\$2)) or (number\$3 near4 (read\$3 or retriev\$3))) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)) same ((easy or easier or fast or faster) with (retriev\$3 or read\$3) with (storage or store or storing or stored or memory or RAM\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 12:44
S10	1	((storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or (written near5 (storage or store or storing or stored or memory or RAM\$2)) or (number\$3 near3 (page\$2 or sheet\$2 or paper\$2)) or (number\$3 near4 (read\$3 or retriev\$3))) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)) and ((easy or easier or fast or faster) with (retriev\$3 or read\$3) with (storage or store or storing or stored or memory or RAM\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 12:45
S11	23934	((easy or easier or fast or faster) with (retriev\$3 or read\$3) with (storage or store or storing or stored or memory or RAM\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 12:46
S12	3	S1 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 12:46
S13	1	("20020054109").PN.	US-PGPUB	OR	OFF	2008/02/24 21:04

## EAST Search History

S14	23795	(358/1.15,1.16,1.17,1.18,1.13,1.14,1.1,1.2,1.6,1.9,404,444).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 16:13
S15	523	(347/2,3,5).CCLS.	US-PGPUB	OR	OFF	2008/02/25 16:18
S16	1858	(347/2,3,5).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 16:18
S17	5190	(399/1,8).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 16:18
S18	1885	(715/764,274).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 16:18
S19	32340	S14 or S15 or S16 or S17 or S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 16:19
S20	4158	(345/156).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 16:24
S21	36481	S14 or S15 or S16 or S17 or S18 or S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 16:24

## EAST Search History

S22	680	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4) with (print\$3 adj (file\$2 or job\$2 or data or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:24
S23	319	S21 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 16:24
S24	274	S21 and ((easy or easier or fast or faster) with (retriev\$3 or read\$3) with (storage or store or storing or stored or memory or RAM\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:25
S25	15	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:26
S26	9	S21 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:26
S27	37	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2)) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:26
S28	22	S21 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:26

## EAST Search History

S29	37	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or (written near5 (storage or store or storing or stored or memory or RAM\$2))) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:27
S30	22	S21 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:27
S31	44	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or (written near5 (storage or store or storing or stored or memory or RAM\$2)) or (number\$3 near3 (page\$2 or sheet\$2 or paper\$2))) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:27
S32	25	S21 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:27
S33	44	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or (written near5 (storage or store or storing or stored or memory or RAM\$2)) or (number\$3 near3 (page\$2 or sheet\$2 or paper\$2)) or (number\$3 near4 (read\$3))) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:28

## EAST Search History

S34	25	S21 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:28
S35	45	(storage or store or storing or stored or memory or RAM\$2) with (attribut\$4 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or (written near5 (storage or store or storing or stored or memory or RAM\$2)) or (number\$3 near3 (page\$2 or sheet\$2 or paper\$2)) or (number\$3 near4 (read\$3 or retriev\$3))) with (print\$3 adj (file\$2 or job\$2 or data or information)) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:28
S36	25	S21 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 16:28